

WECO SGT250

SPOOL GUN

The Tweco SGT250 is a comfortable pistol grip spool gun that has the cable connected from the handle for a well-balanced, light weight feel in the hand and easy manoeuvrability for precision welding.

With a powerful 250Amp @20% duty cycle (Argon) and high wire feed speed you can be assured you'll achieve a high conductivity rate that can easily melt through the aluminium oxide to ensure exceptional fusion results. Additionally, the wire feed control knob gives you ultimate control in the hand and a 6m lead allows you flexibility with distance to the work piece.

The SGT250 has adjustable pressure roll and spool roll tensions, a wire feed viewing window and an easy access flip top cover ensuring all the adjustments you need are at your fingertips.

Why use a Spool Gun?

Using a comfortable pistol grip spool gun loaded with a mini-spool improves the feedability of your soft aluminium wire (that is prone to bending) by shortening the distance the wire has to travel and therefore guaranteeing less time spent on fixing birds nesting wire and more time spent on quality welds.

Additionally enjoy the convenience of running a second wire via a mini spool through your spool gun without having to change the spool loaded on the wire feeder.

DESCRIPTION

Wire Diameter (Aluminium)

Maximum Wire Feed Speed

Maximum Wire Spool Size

Motor Voltage

Cable Length

Connection

Weight

Rated Welding

Current

Argon Duty Cycle

CO2 Duty Cycle

Mixed Gas Duty Cycle

RATING

250A @ 20%

250A @35%

16 m/min.

4.2 kg

6 metres Euro connection

with 8 pin plug

250A @ 20% (Aluminium)

0.9/1.0 mm (U Groove)

Diameter: 100 mm

Width: 45 mm 24V DC



FEATURES



Pure Argon Duty Cycle: 250A@20% (needed for Aluminium) Mixed Gas Duty Cycle: 250A@20% CO2 Duty Cycle: 250A@35%



6m Lead with Euro Connection and 8 pin plug

Allowing the user flexibility with distance from work piece. Simple connection and compatibility with CIGWELD and ESAB machines* *Compatible with CIGWELD Weldskill 185, CIGWELD Transmig 220i and ESAB Rebel EMP 215ic



Cable connected to handle For a well-balanced, light weight feel in the hand and easy manoeuvrability



Fitted with a 0.9/1.0mm U Groove Feedroll

To ensure smooth feedability of soft wires i.e. Aluminium*
*Works best with CIGWELD Autocraft AL5356 Aluminium Wires (0.9mm Minispool #721223 & 1.0mm Minispool #721224)



Wire Speed control knob (16mpm MAX)

For ultimate control in the hand and maximum user flexibility of Wirefeed Speed / Amperage



Easy-access flip top cover Giving the user quick and easy access to the spool, feed rolls and tensioners



Wire feed viewing window

To ensure clear viewing of the wire's smooth feedability without needing to open the lid



Adjustable pressure roll tension

Enables the user to easily feed wire on to the feedrolls, and prevents wire slipping or deforming



Adjustable spool roll tension

Prevents free spinning of the spool and birds nesting of the wire



Robust Handle Hook

Allowing for simple storage and a clear workspace




Comfortable, easy to grip handle that facilitates



precision welding



This equipment is manufactured to stringent CIGWELD quality standards and is backed by a conditional 6 month warranty *Refer to operating manual



Tweco Insulator

Tweco Gas Diffuser

Operating Manual

0TW32

0TW52



COMPATABLE WITH



WeldSkill

MULTI PROCESS INVERTER

MULTI PROCESS INVERTER

TRANSMIG *220*i

MULTI PROCESS INVERTER



OPTIONAL ACCESSORIES

Tweco MIG Consumables Organiser (Fusion 150 / 250 Consumables) W4012300 Autocraft AL5356 Solid Aluminium MIG Wire 0.9mm MiniSpool 0.5kg 721223 Autocraft AL5356 Solid Aluminium MIG Wire 1.0mm MiniSpool 0.5kg 721224 **ProLite Auto Darkening Welding Helmet 9-13 Variable Shade SPACE** 454332 **ESAB Sentinel A50 Welding Helmet** 0700000800

For a complete range visit: www.cigweld.com.au

WE RECOMMEND GENUINE CIGWELD PRODUCTS













THE BIGGEST RANGE AND THE BEST QUALITY, WITH GUARANTEED PERFORMANCE.



CIGWELD Pty Ltd CIGWELD An ESAB Brand

71 Gower Street, Preston VIC 3072 Australia



o rigweld.com.au

Customer Care:

Tel: 1300 654 674 | Fax: 03 9474 7391 Email: enquiries@cigweld.com.au

International Enquiries

Tel: +61 3 9474 7508 | Fax: +61 3 9474 7488

In the interest of continuous improvements, CIGWELD Pty Ltd ABN 007 226 815 (An ESAB Brand) reserves the right to change specifications or design on any of its products without prior notice.